

OPWG Canine Lymphoma Subgroup Selected Literature for Review

1: Papakonstantinou S, James O'Brien P. High content imaging for the morphometric diagnosis and immunophenotypic prognosis of canine lymphomas. *Cytometry B Clin Cytom.* 2014 Jul 14. doi: 10.1002/cyto.b.21170. [Epub ahead of print] PubMed PMID: 25044888.

2: Ito D, Brewer S, Modiano JF, Beall MJ. Development of a novel anti-canine CD20 monoclonal antibody with diagnostic and therapeutic potential. *Leuk Lymphoma.* 2014 Jun 16:1-7. [Epub ahead of print] PubMed PMID: 24724777.

3: Aresu L, Aricò A, Ferraresso S, Martini V, Comazzi S, Riondato F, Giantin M, Dacasto M, Guadagnin E, Frayssinet P, Rouquet N, Drigo M, Marconato L. Minimal residual disease detection by flow cytometry and PARR in lymph node, peripheral blood and bone marrow, following treatment of dogs with diffuse large B-cell lymphoma. *Vet J.* 2014 May;200(2):318-24. doi: 10.1016/j.tvjl.2014.03.006. Epub 2014 Mar 31. PubMed PMID: 24698669.

4: Seelig DM, Avery P, Webb T, Yoshimoto J, Bromberek J, Ehrhart EJ, Avery AC. Canine T-zone lymphoma: unique immunophenotypic features, outcome, and population characteristics. *J Vet Intern Med.* 2014 May-Jun;28(3):878-86. doi: 10.1111/jvim.12343. Epub 2014 Mar 21. PubMed PMID: 24655022.

5: Avery PR, Burton J, Bromberek JL, Seelig DM, Elmslie R, Correa S, Ehrhart EJ, Morley PS, Avery AC. Flow cytometric characterization and clinical outcome of CD4+ T-cell lymphoma in dogs: 67 cases. *J Vet Intern Med.* 2014 Mar-Apr;28(2):538-46. doi: 10.1111/jvim.12304. Epub 2014 Feb 3. Erratum in: *J Vet Intern Med.* 2014 May-Jun;28(3):1149. PubMed PMID: 24495161.

6: Langner KF, Joetzke AE, Nerschbach V, Eberle N, Schuberth HJ, Koy M, Nolte I, Betz D. Detection of clonal antigen receptor gene rearrangement in dogs with lymphoma by real-time polymerase chain reaction and melting curve analysis. *BMC Vet Res.* 2014 Jan 3;10:1. doi: 10.1186/1746-6148-10-1. PubMed PMID: 24383544; PubMed Central PMCID: PMC3904468.

7: Thalheim L, Williams LE, Borst LB, Fogle JE, Suter SE. Lymphoma immunophenotype of dogs determined by immunohistochemistry, flow cytometry, and polymerase chain reaction for antigen receptor rearrangements. *J Vet Intern Med.* 2013 Nov-Dec;27(6):1509-16. doi: 10.1111/jvim.12185. Epub 2013 Sep 20. PubMed PMID: 24112291.

8: Marconato L, Martini V, Aresu L, Sampaolo M, Valentini F, Rinaldi V, Comazzi S. Assessment of bone marrow infiltration diagnosed by flow cytometry in canine large B cell lymphoma: prognostic significance and proposal of a cut-off value.

Vet J. 2013 Sep;197(3):776-81. doi: 10.1016/j.tvjl.2013.05.003. Epub 2013 Jun 2. PubMed PMID: 23735731.

9: Martini V, Poggi A, Riondato F, Gelain ME, Aresu L, Comazzi S. Flow-cytometric detection of phenotypic aberrancies in canine small clear cell lymphoma. *Vet Comp Oncol.* 2013 May 31. doi: 10.1111/vco.12043. [Epub ahead of print] PubMed PMID: 23721515.

10: Gentilini F, Turba ME, Forni M. Retrospective monitoring of minimal residual disease using hairpin-shaped clone specific primers in B-cell lymphoma affected dogs. *Vet Immunol Immunopathol.* 2013 Jun 15;153(3-4):279-88. doi: 10.1016/j.vetimm.2013.03.012. Epub 2013 Mar 30. PubMed PMID: 23602204.

11: Papakonstantinou S, Berzina I, Lawlor A, J O'Neill E, J O'Brien P. Rapid, effective and user-friendly immunophenotyping of canine lymphoma using a personal flow cytometer. *Ir Vet J.* 2013 Apr 1;66(1):6. doi: 10.1186/2046-0481-66-6. eCollection 2013. PubMed PMID: 23547828; PubMed Central PMCID: PMC3640923.

12: Dhaliwal RS, Kitchell BE, Ehrhart E, Valli VE, Dervisis NG. Clinicopathologic significance of histologic grade, pggp, and p53 expression in canine lymphoma. *J Am Anim Hosp Assoc.* 2013 May-Jun;49(3):175-84. doi: 10.5326/JAAHA-MS-5843. Epub 2013 Mar 27. PubMed PMID: 23535752.

13: Valli VE, Kass PH, San Myint M, Scott F. Canine lymphomas: association of classification type, disease stage, tumor subtype, mitotic rate, and treatment with survival. *Vet Pathol.* 2013 Sep;50(5):738-48. doi: 0.1177/0300985813478210. Epub 2013 Feb 26. PubMed PMID: 23444036.

14: Dettwiler M, Croci M, Vaughan L, Guscetti F. Immunohistochemical expression study of proapoptotic BH3-only protein bad in canine nonneoplastic tissues and canine lymphomas. *Vet Pathol.* 2013 Sep;50(5):789-96. doi: 10.1177/0300985813478212. Epub 2013 Feb 15. PubMed PMID: 23417166.

15: Ostrzeszewicz M, Maciejewski H, Sapieryński R, Micuń J, Majewska A, Lechowski R, Motyl T, Jank M. Mismatch between transcriptomic and histopathologic picture of canine lymphomas. *Pol J Vet Sci.* 2012;15(4):781-90. PubMed PMID: 23390770.

16: Sokołowska J, Micun J, Malicka E, Lechowski R. Proliferation activity in canine lymphomas. *Pol J Vet Sci.* 2012;15(4):727-34. PubMed PMID: 23390763.

17: Kol A, Christopher MM, Skorupski KA, Tokarz D, Vernau W. B-cell lymphoma with plasmacytoid differentiation, atypical cytoplasmic inclusions, and secondary leukemia in a dog. *Vet Clin Pathol.* 2013 Mar;42(1):40-6. doi: 10.1111/vcp.12003. Epub 2012 Dec 3. PubMed PMID: 23205858.

- 18: Sapieryński R, Dolka I, Fabisiak M. High agreement of routine cytopathology and immunocytochemistry in canine lymphomas. *Pol J Vet Sci.* 2012;15(2):247-52. PubMed PMID: 22844701.
- 19: Marconato L, Gelain ME, Comazzi S. The dog as a possible animal model for human non-Hodgkin lymphoma: a review. *Hematol Oncol.* 2013 Mar;31(1):1-9. doi: 10.1002/hon.2017. Epub 2012 Jun 6. Review. PubMed PMID: 22674797.
- 20: Joetzke AE, Eberle N, Nolte I, Mischke R, Simon D. Flow cytometric evaluation of peripheral blood and bone marrow and fine-needle aspirate samples from multiple sites in dogs with multicentric lymphoma. *Am J Vet Res.* 2012 Jun;73(6):884-93. doi: 10.2460/ajvr.73.6.884. PubMed PMID: 22620704.
- 21: Aresu L, Aricò A, Comazzi S, Gelain ME, Riondato F, Mortarino M, Morello E, Stefanello D, Castagnaro M. VEGF and MMP-9: biomarkers for canine lymphoma. *Vet Comp Oncol.* 2014 Mar;12(1):29-36. doi: 10.1111/j.1476-5829.2012.00328.x. Epub 2012 Apr 10. PubMed PMID: 22489798.
- 22: Flood-Knapik KE, Durham AC, Gregor TP, Sánchez MD, Durney ME, Sorenmo KU. Clinical, histopathological and immunohistochemical characterization of canine indolent lymphoma. *Vet Comp Oncol.* 2013 Dec;11(4):272-86. doi: 10.1111/j.1476-5829.2011.00317.x. Epub 2012 Feb 2. PubMed PMID: 22296667.
- 23: Keller SM, Moore PF. A novel clonality assay for the assessment of canine T cell proliferations. *Vet Immunol Immunopathol.* 2012 Jan 15;145(1-2):410-9. doi: 10.1016/j.vetimm.2011.12.019. Epub 2011 Dec 28. PubMed PMID: 22237398.
- 24: Bienzle D, Vernau W. The diagnostic assessment of canine lymphoma: implications for treatment. *Clin Lab Med.* 2011 Mar;31(1):21-39. doi: 10.1016/j.cll.2010.10.001. PubMed PMID: 21295720.
- 25: Sato M, Kanemoto H, Kagawa Y, Kobayashi T, Goto-Koshino Y, Mochizuki H, Takahashi M, Fujino Y, Ohno K, Tsujimoto H. Evaluation of the prognostic significance of BCL6 gene expression in canine high-grade B-cell lymphoma. *Vet J.* 2012 Jan;191(1):108-14. doi: 10.1016/j.tvjl.2010.12.006. Epub 2011 Feb 1. PubMed PMID: 21277811.
- 26: Valli VE, San Myint M, Barthel A, Bienzle D, Caswell J, Colbatzky F, Durham A, Ehrhart EJ, Johnson Y, Jones C, Kiupel M, Labelle P, Lester S, Miller M, Moore P, Moroff S, Roccabianca P, Ramos-Vara J, Ross A, Scase T, Tvedten H, Vernau W. Classification of canine malignant lymphomas according to the World Health Organization criteria. *Vet Pathol.* 2011 Jan;48(1):198-211. doi: 10.1177/0300985810379428. Epub 2010 Sep 22. PubMed PMID: 20861499.
- 27: Takanosu M, Tadika T, Kobayashi T. Heteroduplex polymerase chain reaction is essential for canine receptor rearrangement analysis. *J Vet Diagn Invest.* 2010

- Sep;22(5):760-3. PubMed PMID: 20807937.
- 28: Marconato L. The staging and treatment of multicentric high-grade lymphoma in dogs: a review of recent developments and future prospects. *Vet J.* 2011 Apr;188(1):34-8. doi: 10.1016/j.tvjl.2010.04.027. Review. PubMed PMID: 20627636.
- 29: Ponce F, Marchal T, Magnol JP, Turinelli V, Ledieu D, Bonnefont C, Pastor M, Delignette ML, Fournel-Fleury C. A morphological study of 608 cases of canine malignant lymphoma in France with a focus on comparative similarities between canine and human lymphoma morphology. *Vet Pathol.* 2010 May;47(3):414-33. doi: 10.1177/0300985810363902. PubMed PMID: 20472804.
- 30: Comazzi S, Gelain ME. Use of flow cytometric immunophenotyping to refine the cytological diagnosis of canine lymphoma. *Vet J.* 2011 May;188(2):149-55. doi: 10.1016/j.tvjl.2010.03.011. Epub 2010 Apr 21. Review. PubMed PMID: 20413335.
- 31: Thilakaratne DN, Mayer MN, MacDonald VS, Jackson ML, Trask BR, Kidney BA. Clonality and phenotyping of canine lymphomas before chemotherapy and during remission using polymerase chain reaction (PCR) on lymph node cytologic smears and peripheral blood. *Can Vet J.* 2010 Jan;51(1):79-84. PubMed PMID: 20357946; PubMed Central PMCID: PMC2797355.
- 32: Vezzali E, Parodi AL, Marcato PS, Bettini G. Histopathologic classification of 171 cases of canine and feline non-Hodgkin lymphoma according to the WHO. *Vet Comp Oncol.* 2010 Mar;8(1):38-49. doi: 10.1111/j.1476-5829.2009.00201.x. PubMed PMID: 20230580.
- 33: Sapieryński R. Practical aspects of immunocytochemistry in canine lymphomas. *Pol J Vet Sci.* 2010;13(4):661-8. PubMed PMID: 21370744.
- 34: Sapieryński R, Micuń J, Jagielski D, Jurka P. Cytopathology of canine lymphomas (100 cases). *Pol J Vet Sci.* 2010;13(4):653-9. PubMed PMID: 21370743.
- 35: Sokołowska J, Micuń J, Zabielska K, Malicka E, Lechowski R. Immunohistochemical study of expression of immunoglobulins in canine B-cell lymphomas. *Pol J Vet Sci.* 2010;13(4):623-8. PubMed PMID: 21370739.
- 36: Bryan JN, Jabbes M, Berent LM, Arthur GL, Taylor KH, Risetto KC, Henry CJ, Rahmatpanah F, Rankin WV, Villamil JA, Lewis MR, Caldwell CW. Hypermethylation of the DLC1 CpG island does not alter gene expression in canine lymphoma. *BMC Genet.* 2009 Nov 13;10:73. doi: 10.1186/1471-2156-10-73. PubMed PMID: 19912643; PubMed Central PMCID: PMC2784477.
- 37: Avery A. Molecular diagnostics of hematologic malignancies. *Top Companion Anim Med.* 2009 Aug;24(3):144-50. doi: 10.1053/j.tcam.2009.03.005. Review. PubMed PMID: 19732733.

38: Kaneko N, Tanimoto T, Morimoto M, Hayashi T, Shimokawa Miyama T, Hiraoka H, Itamoto K, Une S, Mizuno T, Okuda M. Use of formalin-fixed paraffin-embedded tissue and single-strand conformation polymorphism analysis for polymerase chain reaction of antigen receptor rearrangements in dogs. *J Vet Med Sci.* 2009 Apr;71(4):535-8. PubMed PMID: 19420864.

39: Willmann M, Müllauer L, Guija de Arespacochaga A, Reifinger M, Mosberger I, Thalhammer JG. Pax5 immunostaining in paraffin-embedded sections of canine non-Hodgkin lymphoma: a novel canine pan pre-B- and B-cell marker. *Vet Immunol Immunopathol.* 2009 Apr 15;128(4):359-65. doi: 10.1016/j.vetimm.2008.11.019. Epub 2008 Nov 13. PubMed PMID: 19100628.

40: Gentilini F, Calzolari C, Turba ME, Bettini G, Famigli-Bergamini P. GeneScanning analysis of Ig/TCR gene rearrangements to detect clonality in canine lymphomas. *Vet Immunol Immunopathol.* 2009 Jan 15;127(1-2):47-56. doi: 10.1016/j.vetimm.2008.09.014. Epub 2008 Sep 23. PubMed PMID: 18963006.

41: Lurie DM, Milner RJ, Suter SE, Vernau W. Immunophenotypic and cytomorphologic subclassification of T-cell lymphoma in the boxer breed. *Vet Immunol Immunopathol.* 2008 Sep 15;125(1-2):102-10. doi: 10.1016/j.vetimm.2008.05.009. Epub 2008 May 21. PubMed PMID: 18579219.

42: Breen M, Modiano JF. Evolutionarily conserved cytogenetic changes in hematological malignancies of dogs and humans--man and his best friend share more than companionship. *Chromosome Res.* 2008;16(1):145-54. doi: 10.1007/s10577-007-1212-4. PubMed PMID: 18293109.

43: Gelain ME, Mazzilli M, Riondato F, Marconato L, Comazzi S. Aberrant phenotypes and quantitative antigen expression in different subtypes of canine lymphoma by flow cytometry. *Vet Immunol Immunopathol.* 2008 Feb 15;121(3-4):179-88. Epub 2007 Oct 2. PubMed PMID: 17981339.

44: Bauer NB, Zervos D, Moritz A. Argyrophilic nucleolar organizing regions and Ki67 equally reflect proliferation in fine needle aspirates of normal, hyperplastic, inflamed, and neoplastic canine lymph nodes (n = 101). *J Vet Intern Med.* 2007 Sep-Oct;21(5):928-35. PubMed PMID: 17939545.

45: Guija de Arespacochaga A, Schwendenwein I, Weissenböck H. Retrospective study of 82 cases of canine lymphoma in Austria based on the Working Formulation and immunophenotyping. *J Comp Pathol.* 2007 Feb-Apr;136(2-3):186-92. PubMed PMID: 17416237.

46: Valli VE, Vernau W, de Lorimier LP, Graham PS, Moore PF. Canine indolent

nodular lymphoma. *Vet Pathol.* 2006 May;43(3):241-56. PubMed PMID: 16672571.

47: Ranieri G, Patruno R, Lionetti A, Di Summa A, Mattioli E, Bufo P, Pellicchia A, Ribatti D, Zizzo N. Endothelial area and microvascular density in a canine non-Hodgkin's lymphoma: an interspecies model of tumor angiogenesis. *Leuk Lymphoma.* 2005 Nov;46(11):1639-43. PubMed PMID: 16236617.

48: Sözmen M, Tasca S, Carli E, De Lorenzi D, Furlanello T, Caldin M. Use of fine needle aspirates and flow cytometry for the diagnosis, classification, and immunophenotyping of canine lymphomas. *J Vet Diagn Invest.* 2005 Jul;17(4):323-30. PubMed PMID: 16130989.

49: Sokołowska J, Cywińska A, Malicka E. p53 expression in canine lymphoma. *J Vet Med A Physiol Pathol Clin Med.* 2005 May;52(4):172-5. PubMed PMID: 15882401.

50: Gibson D, Aubert I, Woods JP, Abrams-Ogg A, Kruth S, Wood RD, Bienzle D. Flow cytometric immunophenotype of canine lymph node aspirates. *J Vet Intern Med.* 2004 Sep-Oct;18(5):710-7. PubMed PMID: 15515589.

51: Keller RL, Avery AC, Burnett RC, Walton JA, Olver CS. Detection of neoplastic lymphocytes in peripheral blood of dogs with lymphoma by polymerase chain reaction for antigen receptor gene rearrangement. *Vet Clin Pathol.* 2004;33(3):145-9. PubMed PMID: 15334349.

52: Sueiro FA, Alessi AC, Vassallo J. Canine lymphomas: a morphological and immunohistochemical study of 55 cases, with observations on p53 immunoexpression. *J Comp Pathol.* 2004 Aug-Oct;131(2-3):207-13. PubMed PMID: 15276860.

53: Thomas R, Smith KC, Ostrander EA, Galibert F, Breen M. Chromosome aberrations in canine multicentric lymphomas detected with comparative genomic hybridisation and a panel of single locus probes. *Br J Cancer.* 2003 Oct 20;89(8):1530-7. PubMed PMID: 14562028; PubMed Central PMCID: PMC2394339.

54: Zanatta R, Abate O, D'Angelo A, Miniscalco B, Mannelli A. Diagnostic and prognostic value of serum lactate dehydrogenase (LDH) and LDH isoenzymes in canine lymphoma. *Vet Res Commun.* 2003 Sep;27 Suppl 1:449-52. PubMed PMID: 14535451.

55: Miniscalco B, Guglielmino R, Morello E, Tarducci A, Geuna M. Clinical usefulness of peripheral blood lymphocyte subsets in canine lymphoma. *Vet Res Commun.* 2003 Sep;27 Suppl 1:407-9. PubMed PMID: 14535441.

56: Ponce F, Magnol JP, Marchal T, Chabanne L, Ledieu D, Bonnefont C, Felman P, Fournel-Fleury C. High-grade canine T-cell lymphoma/leukemia with plasmacytoid

morphology: a clinical pathological study of nine cases. *J Vet Diagn Invest.* 2003 Jul;15(4):330-7. PubMed PMID: 12918813.

57: Zacchetti A, van Garderen E, Teske E, Nederbragt H, Dierendonck JH, Rutteman GR. Validation of the use of proliferation markers in canine neoplastic and non-neoplastic tissues: comparison of KI-67 and proliferating cell nuclear antigen (PCNA) expression versus *in vivo* bromodeoxyuridine labelling by immunohistochemistry. *APMIS.* 2003 Mar;111(3):430-8. PubMed PMID: 12752223.

58: Burnett RC, Vernau W, Modiano JF, Olver CS, Moore PF, Avery AC. Diagnosis of canine lymphoid neoplasia using clonal rearrangements of antigen receptor genes. *Vet Pathol.* 2003 Jan;40(1):32-41. PubMed PMID: 12627711.

59: Fournel-Fleury C, Ponce F, Felman P, Blavier A, Bonnefont C, Chabanne L, Marchal T, Cadore JL, Goy-Thollot I, Ledieu D, Ghernati I, Magnol JP. Canine T-cell lymphomas: a morphological, immunological, and clinical study of 46 new cases. *Vet Pathol.* 2002 Jan;39(1):92-109. PubMed PMID: 12102223.

60: Fournel-Fleury C, Magnol JP, Bricaire P, Marchal T, Chabanne L, Delverdier A, Bryon PA, Felman P. Cytohistological and immunological classification of canine malignant lymphomas: comparison with human non-Hodgkin's lymphomas. *J Comp Pathol.* 1997 Jul;117(1):35-59. PubMed PMID: 9263843.

61: Hahn KA, Richardson RC, Hahn EA, Chrisman CL. Diagnostic and prognostic importance of chromosomal aberrations identified in 61 dogs with lymphosarcoma. *Vet Pathol.* 1994 Sep;31(5):528-40. PubMed PMID: 7801430.

62: Greenlee PG, Filippa DA, Quimby FW, Patnaik AK, Calvano SE, Matus RE, Kimmel M, Hurvitz AI, Lieberman PH. Lymphomas in dogs. A morphologic, immunologic, and clinical study. *Cancer.* 1990 Aug 1;66(3):480-90. PubMed PMID: 2364361.

63: Carter RF, Valli VE, Lumsden JH. The cytology, histology and prevalence of cell types in canine lymphoma classified according to the National Cancer Institute Working Formulation. *Can J Vet Res.* 1986 Apr;50(2):154-64. PubMed PMID: 3756669; PubMed Central PMCID: PMC1255183.